

SIMPLE CONSTRUCTION

The simple construction of the PCH Type loader offers easy set-up with 360 degree positioning of the suction pipe and material inlet .

Magnetic catch inspection lid allows easy access to the suction valve and valve filter without the need of any tooling and without the risk of suction loss due to incorrect re-assembly.

The control valve and electronics are mounted directly on the loader offering local override and LED indication of demand / suction. Optional inspections windows are also available.



FACTORY WIDE INSTALLATIONS

In addition to supply of the loader equipment we also offer a complete turn key service from design and installation. Sourcing high quality fittings and tubing with a selection of either Side channel or Claw type vacuum pump.



NAVIGATOR PIPE IDENT

The pipe identity system reduces the risk of incorrect material feed and its consequences, by utilising a wireless tagging system for each flexible coupling. Using 128 bit encryption the capacity of the system is virtually unlimited. Each pipe is given a unique number and by setting up associations with a manifold number the system prevents the loader sucking material if it is incorrectly connected.

The pipe coupling also illuminates a red LED if the incorrect pipe is connected to the manifold number.

Custom applications will also be considered.



For further information or quotation please contact us at the UK address.

UK Office:
Unit 17 Leeward Road,
Ashton,
Preston,
Lancashire,

Phone: 0044 (0)1772 769963
Fax: 0044 (0)1772 736357
Web: www.plastcontrol.de
E-Mail: pch@plastcontrol.co.uk

